

Index

A

Accumulation curves, 199
Aesthetic, 29, 31, 33, 269
Alpha-diversity, 146, 148, 156, 157, 164, 204, 269
Alpha-level phylogenetic diversity, 267, 268, 280, 281
Amazonia, 45, 229, 334, 349
Amphibian, 9, 59, 61, 62, 187, 258, 287–302, 334, 379
Anagenesis, 40, 41, 120
Ancestry, 7, 43, 86, 120, 122, 124, 320, 380
Andean foothills, 348
Andes, 336, 338, 342, 343, 346–348, 350
Anuran, 9, 289, 298, 300
Archaea, 90, 91
Areas, 3, 4, 7, 9, 11, 25, 42, 44–53, 61, 64, 104, 106–108, 110, 120–123, 125, 127–130, 133–136, 155, 178, 180, 182, 183, 185–187, 192, 210, 213, 219–226, 228, 229, 231, 233, 240–242, 257–259, 266–275, 277–282, 288, 301, 306–310, 312–316, 320–323, 327–329, 334, 336, 342, 343, 346–348, 350, 356–360, 362, 364, 366–371

B

Bacteria, 91, 92
Basal taxa, 103, 110
Benefit, 29, 32–34, 40, 67, 93, 111, 257, 266, 270, 276, 316
Beta-diversity, 8, 121, 157, 158, 160–161, 163, 164, 198–200, 204, 205, 209–212, 214, 256, 357

Big five, 2

Biodiversity, 2–8, 11, 20–26, 28–35, 39–44, 48, 52, 53, 58, 59, 64, 82, 89, 99, 100, 120, 122–125, 129–131, 134–137, 142, 144, 145, 174, 175, 177–182, 184, 188, 198, 213, 214, 219, 220, 238–240, 258, 266, 267, 269, 270, 289, 292, 307, 320, 322, 327, 328, 334–336, 346, 356, 357, 359, 362, 366, 369, 370, 376, 377, 379, 380
decline, 2, 41, 46, 47, 59, 60, 63, 65, 67, 90, 168, 288, 306, 316, 320, 359, 378
Biological diversity, convention, 3, 23, 24, 29, 31, 306, 316, 379
Branch length, 5, 6, 27, 40, 49, 51, 68, 71–73, 83, 84, 108, 120, 143, 147, 149–151, 153–159, 162, 165, 169, 174, 177, 198, 201–203, 205, 206, 209, 213, 214, 220, 224, 269, 308, 320, 338, 343, 362
Brazil, 9, 288, 290, 291, 293, 299, 301, 309, 313, 316, 388
Brownian motion, 70–73
Budget, 8, 179, 182, 183, 185–187, 191, 192, 270

C

Carnivora, 71, 307
CBD. *See* Convention on Biological Diversity (CBD)
Central America, 334, 336, 343, 346, 347, 349
Cerrado, 9, 187, 258, 289–294, 298–301, 338, 343, 346, 349, 379
Cetacea, 307
Cetaceans, 313, 316

- Character**
- archaic, 102, 103
 - molecular, 6, 11, 26, 82–84, 86, 87, 100–102, 104, 126, 238, 242, 338, 377–379
 - morphological, 6, 26, 27, 33, 34, 70, 72, 87, 153, 242, 293, 299, 361, 376
 - original, 3
 - primitive, 103
- Cladogenesis, 40, 41, 84, 120, 361
- Climate change, 2, 58, 62, 64, 65, 68, 301, 306, 336, 379
- Community, 2, 7, 21, 26, 48, 92, 101, 109, 122, 126, 131, 132, 142, 148, 150, 188, 198, 208, 213, 214, 220, 266, 267, 270, 273, 278, 280, 282, 288, 322, 334, 336, 343, 348–349, 376, 379
- Comparison of phylogenetic measures, 4
- Competition, 104, 109
- Complementarity, 44–52
- Concept, 2–4, 7, 8, 21–23, 25, 39, 42, 48, 64, 101, 103, 120, 174, 175, 183, 188, 225, 257, 321, 378
- Confidence, 89, 214, 222, 229
- Congruence, 61, 338, 347, 356, 357, 364, 368
- Consequentialism, 30, 32, 33, 41, 47, 110, 130, 131, 146, 238, 281, 320, 329, 334, 379
- Conservation
- goal, 20, 21, 23, 28, 40, 41, 62, 66, 144, 266, 288, 289, 293–295, 299, 301, 306
 - priority areas, 9, 10, 288, 290, 292, 334
 - projects, 21
 - target, 10, 71, 293
 - triage, 179
- Continent, 279, 329, 350
- Convention on Biological Diversity (CBD), 3, 23, 306, 316, 379
- Cost, 4, 32, 33, 67, 124, 179, 182, 185, 186, 222, 259, 266, 268, 270–273, 278–281, 288, 292–294, 301, 336, 379
- Country, 9, 131, 180, 182, 186, 268, 271, 277, 280, 356
- Criterion, 41, 102, 104, 106, 108, 125, 129, 132, 134, 222, 277, 321, 357
- D**
- Data deficient, 10, 306, 308, 314, 325, 327
- Delete, 223–225, 227, 228, 230–233
- Dispersion, 8, 28, 34, 199, 200, 205, 209–214, 258
- Dissimilarities, 27, 43, 44, 121–127, 129, 130, 132, 134–137, 269, 379, 380
- Diversity**
- abundance-based, 8, 142–145, 148, 155, 158
 - alpha, 142, 146
 - beta (*see* Beta-diversity)
 - decomposition, 8, 141, 144, 145
 - gamma, 146, 148, 156, 157
 - species, 5
- DNA, 83, 85, 90, 91, 101, 146, 361, 377
- Doubling property, 143, 148, 269
- E**
- Ecological diversity, 82, 89, 357, 361
- ED (Environmental Diversity), 123–126, 134, 137
- ED (Evolutionary Distinctness or Evolutionary Distinctiveness), 4–6, 8, 10, 39, 45, 48, 99, 219, 220, 239, 240, 242, 244, 256, 258, 267, 288, 289, 292, 294, 295, 306–308, 310, 312, 357
- EDGE, 10, 48, 51, 52, 66, 67, 258, 267, 268, 307–309, 311, 312, 320–322, 325, 329
- Edge of existence, 28, 66
- Edge = split, 343, 344
- Endemic, 2, 8–11, 89, 91, 103, 180, 221, 225, 226, 240, 289, 292–294, 298–301, 314, 328, 355–371
- Endemism, 43–46, 50, 51, 108, 188, 198, 227, 229, 239, 240, 289, 290, 292, 294, 334, 335, 356, 358
- Entropy, 142–149, 151, 158, 159, 161, 198, 208, 268–273, 278, 280, 282
- Epistemic, 31
- Equal splits (ES), 43, 44
- Essential biodiversity variables, 2, 21
- Ethic, 2, 24
- Eukarya, 90
- Europe, 9, 268, 271, 273, 281, 347, 350
- Evenness, 8, 25, 26, 199, 200, 204, 205, 208, 209, 212, 214, 258
- Evolutionary distinctness, 4–6, 8, 10, 39, 45, 48, 99, 220, 239, 240, 242, 244, 256, 258, 267, 288, 292, 320, 325, 347, 357
- Evolutionary heritage, 4, 5, 66, 379
- Evolutionary history, 3, 67–72, 266
- Evolutionary model, 6, 44, 67, 70–72, 120
- Evolutionary potential, 7, 28, 82, 83, 89, 93, 104, 105, 110, 256, 376, 380
- Evolutionary time, 149, 343
- Evolutionary uniqueness, 219, 309
- Ecosystem services, 4, 28, 380
- Extinction, 6, 59–72, 102, 109–110, 188, 288, 308, 320, 357

- risk, 7, 10, 41, 59, 61–69, 71, 72, 109, 110, 188, 267, 306–308, 310, 314, 320, 327, 328
- F**
- Feature diversity, 3, 5, 28, 34, 35, 39–53, 67, 70–72, 120, 122, 134, 202, 258, 267, 289, 362
- Fossil records, 59, 68, 83, 85, 101–103, 106, 107
- Function(al)
- diversity, 4, 21, 26, 28, 33, 46, 49, 59, 144, 153, 267, 281, 301, 350, 380
 - traits, 26, 143, 350, 380
- G**
- Gap
- analysis, 108, 258, 289, 290, 293
 - phylogenetic diversity, 45, 53, 123, 124
- Generalized entropy, 145, 147–149
- Geography, 67, 358
- Gini-Simpson entropy, 208
- Gini-Simpson index, 142–148, 204, 208
- Global, 4, 7, 10, 24, 28, 33, 42, 46, 51–53, 58, 61, 64, 70, 89, 91, 100, 102, 103, 105, 109–111, 137, 180, 181, 213, 239, 258, 267, 268, 270, 282, 288, 305–316, 320, 322, 323, 327, 330, 346, 362, 377, 379, 380
- Global Biodiversity Information Facility (GBIF), 328
- Glossary, 3, 5
- Greedy algorithm, 182, 183, 187, 188
- Group on Earth Observation Biodiversity Observation Network (GEO BON), 137
- Guadalcanal, 10, 325, 326
- H**
- Habitat, 2, 7, 10, 21, 32, 58, 62, 64, 67, 68, 84, 89–91, 109, 111, 122–124, 130, 136, 180, 185, 186, 208–210, 268–270, 289, 292, 300, 301, 306, 310, 316, 320, 322, 328, 329, 334–336, 348, 356, 359, 360, 370, 380
- Haplotypes, 40, 41, 104, 198
- Heightened EDGE (HEDGE), 10, 258, 308, 309, 311, 312
- Higher taxa, 42, 198
- Hill number, phylogenetic, 8, 44, 142–158, 164, 166, 169, 170
- Hotspots
- of evolutionary history, 8, 9, 187, 237–259, 265–282, 288, 347, 350, 368, 379
 - of phylogenetic diversity, 8, 9, 237–259, 346–348
 - of species richness, 346–348
- Hydrosheds, 290
- I**
- Imperfect sampling, 238
- Integer programming (IP), 182–189
- Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES), 41
- International Union for Nature Conservation (IUCN), 2, 10, 40, 51, 58, 61, 62, 71, 220, 268, 290, 306–309, 311, 313–315, 320–325, 327, 328
- Intrinsic value, 29, 30, 41
- I*, 7, 93, 100–108, 220, 226, 229, 256, 273, 278
- Island biogeography, 60, 322
- Islands, 9–11, 60, 61, 86, 226, 239–241, 309, 313, 314, 322–325, 327–330, 356–360, 362, 364
- Isle of Pines, 10, 325, 326
- Isolation, 10, 86, 107, 211, 239, 322, 327, 328, 357
- Ithomia, 336, 338–341, 343, 344, 346–349
- Ithomiini, 335
- J**
- Jack-knife, 222, 226, 234
- Jamaica, 325, 326
- Justification, 6, 28–30, 33, 44, 67, 120, 126, 281
- K**
- Kakapo, 6, 7, 85, 86, 93
- Key biodiversity areas (KBA), 52, 53, 380
- Kōtare, 85–87
- L**
- Landscape transformation, 2
- Least concern, 10, 51, 307, 308, 314, 325, 327
- Lineage
- common, 151
 - dominant, 151
- Living ancestor, 103, 104, 110

- Local, 10, 22, 64, 83, 101, 107, 123, 156, 159, 160, 162, 164, 169, 267, 270, 273, 278, 280–282, 306, 316, 348–350, 370, 379, 380
- Long branches, 48, 50, 82–87, 89, 101, 102, 108, 109, 135
- M**
- Microbial, 42
- Madagascar, 10, 11, 325, 326, 328, 356–360, 362–370, 379
- Mammals
- aquatic, 10, 258, 267, 305–316
 - marine, 10, 315
- Manatees
- Marxan, 187, 293, 294
- Mean base change, 153
- Mean branch length, 153–155, 158, 159, 162, 362
- Mean phylogenetic diversity (MPD), 149, 151, 280, 343–346, 360, 362, 364, 365, 369, 370
- Measure, 2, 20, 40, 58, 89, 104, 120, 141–170, 174, 177, 198, 220, 256, 267, 288, 307, 322, 335, 357, 380
- Measurement, 21, 23–25, 27, 29, 34, 110, 208, 214
- Megadiverse, 9, 350
- Meta-analysis, 240
- Metagenomics, 101, 377, 378
- Metaphor, 3, 110, 111
- Metapopulation, 10, 267, 319–330
- Metapopulation capacity, 10, 321–322
- Microbial, 7, 42, 82, 91–93, 123, 126, 137, 376
- Microbiomes, 7, 82, 91
- Mimicry, 10, 333–350
- Missing link, 103, 110
- Monitoring, 2, 7, 8, 137, 142, 256
- Mullerian mimicry, 336, 348–349
- Mutualistic interactions, 334, 336, 346, 349
- N**
- Napeogenes, 336, 339–341, 344, 346, 348, 349
- Neotropics, 10, 278, 288, 334, 336–338, 344, 346–349, 368
- Network, 8, 11, 28, 137, 173–192, 267, 268, 272, 281, 288, 289, 293, 300, 306, 315, 334, 350, 356, 357, 362, 366, 368, 370, 371, 378
- Network of protected areas, 267, 281, 289, 293, 300, 356, 357, 366, 368, 370
- New Caledonia, 8, 103, 108, 211, 212, 238–242, 257, 357
- Nggela Sule, 10, 325, 326
- Niche, 32, 60, 62, 67, 104, 109, 359
- Niche conservatism, phylogenetic, 109
- Noah's Ark problem (NAP), 188, 189
- Non-random extinction, 6, 57–73, 109, 188, 357
- NP-hard, 179, 183, 189
- O**
- Oleria*, 336, 339–344, 346–349
- Option value, 4, 30–32, 40–43, 120, 144, 376, 380
- Originality, 27, 266, 267
- P**
- Parallel edge, 177
- Parameters, 142, 146, 148, 152, 153, 163, 169, 222, 271
- Pattern, 10, 28, 40, 41, 43, 60, 61, 63, 68, 105, 122, 151, 210, 214, 221, 223, 276, 277, 281, 312, 333–350
- Pattern-process model, 41, 43
- PD-dissimilarity, 121, 122, 125, 126, 134, 137
- Philosophical, 29, 30, 33
- Phyla, 7, 91, 92
- Phylogenetic distances, 43, 144, 146, 147, 150, 210, 343
- Phylogenetic diversity (PD)
- decomposition, 8, 155, 158
 - mean, 8
- Phylogenetic diversity analyzer (PDA), 187–189, 361, 362
- Phylogenetic overlap, 45, 46, 51, 169
- Phylogenetic redundancy, 109
- Phylogenetic tipping points, 52, 380
- Phylogenetic tree, 27, 34, 42, 46, 71, 84, 88, 120–122, 288, 320, 362
- Phylogenetic, turn over rate, 132, 163
- Phylo-Horn, 159, 162, 163
- Phylo-Jaccard, 160, 162, 163
- Phylo-Morisita-Horn, 159, 161, 163
- Phylo-regional-overlap, 160–163
- PhyloSor, 159
- Phylo-Sørensen, 159, 160, 163
- Pinnipeds, 313
- Planetary boundaries, 4, 11, 376, 379, 380
- Planning units (PUs), 290, 294, 298
- Porifera, 91

- Prioritization, 5, 9, 10, 50, 222, 257, 258, 266–272, 274, 277, 280–282, 289, 292, 294, 299, 308, 314, 316, 321, 322, 325, 336
- Priority, 4, 8, 10, 238, 257, 267, 292, 298, 307, 314, 350
- Probability of Interspecific Encounter (PIE), 204, 208
- Process, 3, 41, 43, 59, 65, 67, 70, 71, 89, 94, 102, 179, 199, 203, 213, 219, 266, 275, 290, 327, 361, 376, 377
- Protected area, marine, 10, 307, 310, 313, 316
- Protected areas, 9–11, 125, 129, 130, 257, 266, 267, 269, 271, 277, 278, 281, 288–291, 293–295, 300, 307, 309, 310, 316, 356, 357, 359, 360, 362, 366–370
- Prune, 6, 57–74, 109, 188, 288, 357
- Punctuated evolution, 72
- Q**
- Quadratic entropy, 25, 144, 146, 147, 151, 158, 159, 161, 208, 266, 268–271, 273, 278, 280, 282
- R**
- Rao, 25, 144, 146, 147, 151, 208, 268, 269, 271–274, 276–280, 282
- Rao's quadratic entropy, 144, 146, 147, 151, 208, 268, 269, 271–273, 278, 280, 282
- Rarefaction, 8, 143, 199, 200, 209, 213, 238, 258, 343, 368
- Rarefaction curves, 8, 199, 200, 204–206, 209, 211–213
- Raup, 34, 59, 60, 63
- Red list, 109, 376
- Regional, 42, 46, 124, 159–163, 169, 213, 282, 306, 348, 350, 379, 380
- Relict
- climatic, 100–102, 110
 - geographic, 105
 - phylogenetic, 100
 - species, 100
- Replication principle, 143–148, 153, 154, 157, 269
- Resampling, 8, 9, 243, 253, 257
- Reserve, 180–182, 185–187, 257
- Rhynchocephalia, 87–89
- Richness, 2, 3, 9, 10, 23, 25, 48, 58–61, 73, 125, 128–132, 134, 142–147, 150, 151, 155, 161, 165, 174, 183, 187, 198, 200–202, 204, 208, 210, 211, 213, 214, 219, 227, 240, 242, 244, 247, 248, 256, 267, 270, 271, 273, 274, 276, 278, 281, 289, 290, 292, 299–301, 306, 308–310, 315, 325, 328, 329, 335, 342–344, 346, 347, 349, 350, 356–360, 362, 364–366, 368–370, 376
- Robustness, 144, 222
- Rooted PD, 202
- S**
- Sampling curves, 198, 199
- Sampling effort, 2, 8, 198–200, 206, 207, 238, 240, 257, 258, 315
- Sarcofaenaceae, 11, 357, 358, 360–370, 379
- Scale, 5, 9, 10, 20, 22–24, 28, 29, 33–35, 60, 61, 66, 87, 93, 102, 105, 174, 213, 239, 259, 267, 268, 271, 272, 274–277, 279–282, 288, 290, 321, 322, 327, 328, 342, 349, 359, 379, 380
- Sensitivity analysis, 222
- Shannon entropy, 142–148, 158
- Single edge, 177
- Sirenia, 305
- Sixth mass extinction, 2, 58, 320
- Spatial fragmentation, 10, 267, 319–330
- Spatial prioritization, 9, 266–268, 270, 277, 280
- Spatial scale, 2, 9, 276, 279, 282, 376
- Speciation, 59–60
- Species richness, 25, 148, 207, 208, 210, 212, 241, 244, 293, 294, 308, 329, 335, 342–344, 346–350, 357–360, 362, 364–366, 368–370, 376
- Specional, model of evolution, 6, 71, 72
- Sphenodon*, 87, 89
- Split decomposition, 187
- Split diversity (SD), 8, 173–192
- Split network, 8, 173–191
- SplitsTree, 187
- Sponges, 7, 91, 92
- Stability, 9, 58, 222
- Standardization, 220, 229, 256, 258, 259
- State of shift, 379
- Subsampling, 199, 213
- Support, 8, 9, 30, 135, 144, 220, 222, 225, 226, 229, 234, 238, 257, 270, 282, 301, 321, 327, 335, 347
- Surrogate, 20, 23, 24, 28, 124, 125, 135, 202, 335, 347, 350
- Systematic conservation planning, 4, 9, 134, 187, 258, 265–282, 288, 290, 347, 350, 368, 379
- System of protected areas, 9–11, 357, 359, 360, 367

T

Taxa, 5, 7, 40, 45, 52, 59, 61, 66, 70, 82, 84, 91, 93, 102–104, 108, 110, 120, 152, 198, 221, 226, 238, 240, 242, 259, 280–282, 308, 334–336, 347–349, 361, 379, 380

Taxonomic distinctness, 27, 242

Threat categories, 310

Threatened, 2, 32, 46, 51–53, 58, 61–63, 65, 66, 70, 71, 239, 268, 282, 288, 300, 306–308, 315, 322, 325, 327, 328, 334, 359, 366

Threatened species, 2, 32, 46, 51, 52, 61, 66, 70, 71, 220, 307, 323–325, 327

Tipping points, 4, 52, 380

Topology, 5, 27, 67, 70, 103, 108, 214, 220–225, 227, 230, 232, 242, 361

Traits, 6, 7, 21, 22, 26, 33, 34, 40, 41, 45, 59, 62, 63, 65–68, 70–73, 83, 86, 89, 93, 103, 109, 122, 143, 208, 267, 321, 350, 376, 380

Tree

- balance, 60
- of life, 3, 5–7, 57–73, 90, 92, 103, 109, 120, 175, 215, 238, 335, 380
- non ultrametric, 150, 153–155, 158–160, 162
- phylogenetic, 82
- ultrametric, 70, 147, 149, 150, 205, 269, 338

Tuatara, 6, 7, 87, 89, 93

Turnover of branch lengths, 209

U

Uncertainty, 29, 32–35, 145, 214, 226, 240, 268, 274, 280

UniFrac, 160, 162

Unrooted PD, 202

V

Value

- instrumental, 29, 31, 33, 35
- intrinsic, 29–30, 41
- option, 4, 31, 32, 40–43, 120, 144, 376, 380

Variables, 2, 21, 22, 24, 25, 121, 126, 183, 184, 186, 206, 213, 220, 258

Variance, 26, 70–72, 83, 200, 240, 244, 347

Vulnerability index, 343, 349

W

Wes, 220, 221, 225, 229, 256, 257

Widespread, 220, 221, 225, 244, 257, 292, 328, 360, 370, 376

Ws, 220, 229, 242–245, 247, 249–256, 258, 259

Z

Zonation, 9, 187, 258, 268–281, 329