Contents

Part 1 Introduction and Setting the Scene	
Dynamics of Long-Life Assets: The Editors' Intro	3
The Challenge	9
The Use-it-Wisely (UIW) Approach. Göran Granholm and Stefan N. Grösser	21
Part II Tools and Methods	
Innovation Management with an Emphasis on Co-creation	45
Complexity Management and System Dynamics Thinking Stefan N. Grösser	69
Managing the Life Cycle to Reduce Environmental Impacts Tiina Pajula, Katri Behm, Saija Vatanen and Elina Saarivuori	93
Virtual Reality and 3D Imaging to Support Collaborative Decision Making for Adaptation of Long-Life Assets Jonatan Berglund, Liang Gong, Hanna Sundström and Björn Johansson	115
Operator-Oriented Product and Production Process Design for Manufacturing, Maintenance and Upgrading	133
Fostering a Community of Practice for Industrial Processes	151

x Contents

Extending the System Model	169
Part III From Theory to Practice	
Collaborative Management of Inspection Results in Power Plant Turbines. Daniel Gonzalez-Toledo, Maria Cuevas-Rodriguez and Susana Flores-Holgado	193
Rock Crusher Upgrade Business from a PLM Perspective	209
Space Systems Development	233
Adaptation of High-Variant Automotive Production System Using a Collaborative Approach Jonatan Berglund, Liang Gong, Hanna Sundström and Björn Johansson	255
Supporting the Small-to-Medium Vessel Industry Nikos Frangakis, Stefan N. Grösser, Stefan Katz, Vassilis Stratis, Eric C.B. Cauchi and Vangelis Papakonstantinou	277
Sustainable Furniture that Grows with End-Users	303
Comparing Industrial Cluster Cases to Define Upgrade Business Models for a Circular Economy	327

Contributors

Susanna Aromaa VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Valter Basso Domain Exploration and Science Italy—Engineering, Thales Alenia Space, Turin, Italy

Katri Behm VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Jonatan Berglund Product and Production Development, Chalmers University of Technology, Gothenburg, Sweden

Tim Bosch Department Sustainable Productivity & Employability, TNO, Leiden, Netherlands

Eric C.B. Cauchi SEAbility Ltd., Athens, Greece

Michele Cencetti Mission Operations and Training, ALTEC, Turin, Italy

Stefano T. Chiadò Vastalla, Turin, Italy

Maria Cuevas-Rodriguez DIANA Research Group, Departamento de Tecnología Electrónica, ETSI Telecomunicación, Universidad de Málaga, Malaga, Spain

Susana Flores-Holgado Materials and Life Management, Tecnatom, San Sebastián de los Reyes, Spain

Nikos Frangakis I-SENSE Research Group, Institute of Communication and Computer Systems, Zografou, Greece

Liang Gong Product and Production Development, Chalmers University of Technology, Gothenburg, Sweden

Daniel Gonzalez-Toledo DIANA Research Group, Departamento de Tecnología Electrónica, ETSI Telecomunicación, Universidad de Málaga, Malaga, Spain

xii Contributors

Göran Granholm VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Stefan N. Grösser Institute for Corporate Development, Bern University of Applied Sciences, Bern, Switzerland

Kaj Helin VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Robert J. Houghton Human Factors Research Group, University of Nottingham, Nottingham, UK

Dominic Hurni Institute for Corporate Development, Bern University of Applied Sciences, Bern, Switzerland

Björn Johansson Product and Production Development, Chalmers University of Technology, Gothenburg, Sweden

Stefan Katz Institute for Corporate Development, Bern University of Applied Sciences, Bern, Switzerland

Alyson Langley Human Factors Research Group, University of Nottingham, Nottingham, UK

Simo-Pekka Leino VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Luis Molina-Tanco DIANA Research Group, Dpt. Tecnología Electrónica, ETSI Telecomunicación, University of Málaga, Málaga, Spain

Tiina Pajula VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Vangelis Papakonstantinou International Naval Survey Bureau, Piraeus, Greece

Mauro Pasquinelli Domain Exploration and Science Italy, Engineering, Thales Alenia Space, Turin, Italy

Harshada Patel Human Factors Research Group, University of Nottingham, Nottingham, UK

Arcadio Reyes-Lecuona DIANA Research Group, Departmento de Tecnología Electrónica, ETSI Telecomunicación, Universidad de Málaga, Malaga, Spain

Elina Saarivuori VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Magnus Simons VTT Technical Research Centre of Finland Ltd., Espoo, Finland

Vassilis Stratis OCEAN Boatyard Company OE, Attica, Greece

Hanna Sundström Product and Production Development, Chalmers University of Technology, Gothenburg, Sweden

Contributors xiii

Saija Vatanen VTT Technical Research Centre of Finland Ltd., Espoo, Finland Karin Verploegen Gispen, Culemborg, Netherlands

Carlo Vizzi Technology Research Advanced Projects & Studies, ALTEC, Turin, Italy

Gu van Rhijn Department Sustainable Productivity & Employability, TNO, Leiden, Netherlands

Abbreviations

ALTEC Aerospace Logistics Technology Engineering Company

API Application Programming Interface

APS Actor-Product-Service

BIM Building Information Model

BoL Beginning of Life BOT Behaviour Over Time

BPM Business Process Modelling
BYOD Bring Your Own Device
CAD Computer Aided Design
CAE Computer-Aided Engineering
CAS Complex Adaptive Systems

CAVE Cave Automatic Virtual Environment

CCM Causal Context Models
CE Circular Economy

C-LCA Circular Life Cycle Analysis tool

COP Community of Practice
COTS Commercial Off-The-Shelf
CX Customer Experience

DEVICE Distributed Environment for Virtual Integrated Collaborative

Engineering

DHM Digital Human Model

ECSS European Cooperation for Space Standardization

EoL End of Life

EPD Environmental Product Declaration
FMEA Failure Mode and Effect Analysis
FRP Fibreglass-Reinforced Plastics
GDP Gross Domestic Product

GHG Greenhouse Gas

GPRS General Packet Radio Service HFE Human Factor/Ergonomic xvi Abbreviations

HMD Head-Mounted Display
HR Human Relations
HS High Season
I/O Input/Output

ICT Information and communications technology

IMS Intelligent Manufacturing Systems

INCOSE International Council on Systems Engineering

IP Intellectual Property

IPCC Intergovernmental Panel on Climate Change

IPSS Industrial Product Service System

ISECG International Space Exploration Coordination Group

IT Information Technologies

JSON JavaScript Object Notation

LADAR Laser Detection and Ranging

LCA Life Cycle Assessment

LCI Life Cycle Inventory

LCIA Life Cycle Impact Assessment

LS Low Season

MBSE Model-Based Systems Engineering

MDA Model-Driven Architecture

MoL Middle of Life

NPAPI Netscape Plug-in API

NR New Request

OECD Organisation for Economic Co-operation and Development

OEM Original Equipment Manufacturer

PCR Product Category Rules
PDM Product Data Management
PLM Product Life cycle Management

PM Plenary Meeting POV Point of View

PSS Product Service System

QRM Quick Response Manufacturing R&D Research and Development RC Request Web Configurator

RoRo Roll-On/Roll-Off
SD System Dynamics
SDL Service Dominant Logic
SE Systems Engineering

SLM Service Life Cycle Management SME Small- and Medium-sized Enterprise

SoS System of Systems
SSM Soft System Modelling

SysML The Systems Modelling Language

TAS Thales Alenia Space

TAS-I Thales Alenia Space Italia S.p.A

Abbreviations xvii

UIW Use-it-Wisely

UML Unified Model Language
VE Virtual Environment
VP Virtual Prototyping
VR Virtual Reality

VSM Value Stream Mapping
WebGL Web Graphics Library
XMI XML Metadata Interchange

List of Figures

Figure 2.1	The three UIW challenge domains and their relationship	
	with the upgrade initiation process	17
Figure 3.1	Linear product life-cycle process with decoupled supplier	
	and customer views	24
Figure 3.2	Integrated customer-supplier product-service life-cycle	
	process	25
Figure 3.3	Research process for the UIW-project	29
Figure 3.4	Meeting increased performance demands through discrete	
	upgrade increments	31
Figure 3.5	Meeting increased performance demands through	
	more frequent discrete upgrade increments	32
Figure 3.6	Collaborative upgrade innovation process	35
Figure 3.7	The UIW-framework	36
Figure 4.1	Innovation management (taken from Gassmann	
	and Sutter 2011, p. 8)	47
Figure 4.2	Model of limiting factors for disruptive innovation	
	(Assink 2006)	49
Figure 4.3	Value co-creation topics and respective areas	
	(Galvagno and Dalli 2014)	53
Figure 4.4	Amalgamated design thinking process	56
Figure 4.5	Elements of business model canvas (Osterwalter	
	and Pigneur 2010)	61
Figure 4.6	Match of value proposition and customer profile	
	(Osterwalder et al. 2015)	64
Figure 5.1	System types from simple, to complicated, to complex	
	(Ulrich and Probst 1991; Groesser 2015a, b, c)	74
Figure 5.2	Rich picture as used in the SSM (Checkland 2001)	77
Figure 5.3	Viable system model (Beer 1981)	78
Figure 5.4	Example of a causal context model	81
Figure 5.5	Example of a behaviour over time (BOT) chart	82

xx List of Figures

Figure 5.6	Process for developing system dynamics	
	simulation models	85
Figure 6.1	Circular economy and life cycle phases	
	(European Commission 2014)	97
Figure 6.2	The four stages of life cycle assessment	99
Figure 6.3	Life cycle example of a fibre product	100
Figure 6.4	The simplified procedures of life cycle inventory	
	(ISO 14044)	101
Figure 6.5	Steps of impact assessment	102
Figure 6.6	A policy horizon considering climate impacts	
	(Helin et al. 2012)	105
Figure 7.1	Schematic view of VR decision support tool	121
Figure 7.2	Spatial measurements and their suitability/application	
	on scales of size and complexity (adopted from	
	Boeheler 2005)	123
Figure 7.3	3D Imaging	124
Figure 7.4	3D laser-scanning	125
Figure 7.5	Planning process using virtual technologies	
	for manufacturing process change	126
Figure 8.1	The nature of production in the manufacturing industry	
	is changing	134
Figure 8.2	A parallel, iterative and interactive development approach	
	for modular product and flexible human-centred	
	production processes supported by different	
	methodologies	136
Figure 8.3	Schematic representation of the process steps of the (sub)	
	assembly and testing stages with the MAS	138
Figure 8.4	Schematic overview of the iterative participatory process	
	design approach	142
Figure 10.1	Development process from customer needs	
	to system solution	174
Figure 10.2	Royce's Waterfall model (1970)	175
Figure 10.3	Boehm's spiral model (1988)	175
Figure 10.4	Forsberg and Moog's "Vee" model (1992)	175
Figure 10.5	Discipline-specific models rely on data and should	
	be kept consistent	177
Figure 10.6	A fragment of a structural SysML diagram	
	(Karban et al. 2011)	178
Figure 10.7	SysML is in the centre of a tool-interconnection effort	
	(Intercax 2016)	179
Figure 10.8	The ARCADIA methodology (Roques 2016)	181
Figure 10.9	Model-based usage across the lifecycle	
	(Pasquinelli et al. 2014)	184
Figure 11.1	Typical turbine-generator set scheme	194

List of Figures xxi

Figure 11.2	Flow of information and working team	195
Figure 11.3	Actor-product-service model diagram	198
Figure 11.4	Block architecture of the system	200
Figure 11.5	Physical system architecture diagram	202
Figure 11.6	Application user interface. From left to right model	
	viewer, 3D viewer and inspection result viewer	203
Figure 11.7	Discussion management tool	203
Figure 11.8	The user navigates around the turbine, obtaining	
	different points of view	204
Figure 11.9	Adaptive transparency view	205
Figure 11.10	Exploded view	205
Figure 12.1	Rich Picture model describing the complexity	
	of an as-is situation between stakeholders	217
Figure 12.2	In the Trial 2 Camera based photogrammetric 3D capture	
	was applied in scanning a gear box at the OEM factory	219
Figure 12.3	Laser scanning and generated point cloud representation	219
Figure 12.4	Upgrade design review in a VE (left) and upgrade	
	validation with an AR application (right)	220
Figure 12.5	The new innovative rock crusher upgrade delivery	
	process that exploits 3D capture, AR/VE and Cloud	222
Figure 12.6	Closing knowledge loops of product lifecycle	
	by virtualisation product representations	226
Figure 13.1	Logical architecture of the solution	240
Figure 13.2	Request configurator user interface and physical	
	implementation of a probe (Raspberry Pi®)	242
Figure 13.3	Example class diagram representing the data model	
	of a service (partial view)	246
Figure 13.4	Physical architecture of the overall demonstrative	
	environment	248
Figure 13.5	Sample images from the request configurator	250
Figure 13.6	Web modelling environment and virtual reality data	
	accessible using simple but effective technologies	251
Figure 13.7	Orbit visualization capabilities	252
Figure 14.1	Rich picture illustration of the different actors,	
	their motivations and relationships to the manufacturing	
	system	262
Figure 14.2	On production system change at Volvo Trucks;	
	their frequency and level of impact on the organisation	263
Figure 14.3	A hybrid point-cloud and CAD planning environment	
	to position a conveyor in the existing factory layout	264
Figure 14.4	Actor PSS model of the production system at Volvo	265
Figure 14.5	Process targeted by the demonstrator, put in context	
	of a simplified version of the production project	
	methodology in use at Volvo	266

xxii List of Figures

Figure 14.6	Architecture of the collaborative VR tool	266
Figure 14.7	Demonstrator setup: (a, left) schematic illustration,	
	(b, right) photograph, the outlined rectangle indicates	
	the test area	268
Figure 14.8	3D laser scan data of the production cell used	
	for the demonstrator	269
Figure 14.9	Screenshots from the training environment depicting	
	the menu and pointing activities	270
Figure 14.10	Participant (on the <i>right</i>) being guided by a facilitator	
	(on the <i>left</i>) during the demonstrator evaluation	270
Figure 14.11	User feedback on the collaborative VR tool	
	design concept evaluation	271
Figure 14.12	User feedback on the benefits/value of the collaborative	
	VR tool to different stakeholders	272
Figure 14.13	Areas of application as selected by the respondents	273
Figure 15.1	High season (HS) and low season (LS) for each actor	
	(AR = annual requests, NR = new requests)	282
Figure 15.2	Sector diagram for the integrated industry model	283
Figure 15.3	Elements of the market, SEAbility competes	
	for customers in the Santorini market,	
	pax/month means passengers/month	284
Figure 15.4	Essential structure of the INSB model: handling	
	of new request	285
Figure 15.5	Essential behaviour of the INSB model about	
	new requests	285
Figure 15.6	Structure for building large boats	286
Figure 15.7	Essential behaviour of important indicators for OCEAN	287
Figure 15.8	Short term cycles in large boat construction (left)	
	and long term business cycles for OCEAN (right)	287
Figure 15.9	Fleet composition for operators (using SEAbility	
	as example)	288
Figure 15.10	Essential behaviour for SEAbility, showing	
	the entire fleet for SEAbility (small and large boats)	289
Figure 15.11	The different lifetimes in the model	289
Figure 15.12	Effects on OCEAN for the different policies	290
Figure 15.13	Effects of the policy on the operators SEAbility	
	(left) and Market 1 (right)	291
Figure 15.14	Vessel metafile application	292
Figure 15.15	Vessel web-configurator	292
Figure 15.16	Vessel metafile application workflow configuration	293
Figure 15.17	Graph for gain from UIW tool	294
Figure 15.18	Graph for savings per upgrade	294
Figure 15.19	Graph for time savings	295
Figure 15.20	Graph for atmospheric emissions	295

List of Figures xxiii

Figure 1	5.21	Graph for fuel savings	296
Figure 1	6.1	Collecting, disassembly, remanufacturing and reassembling of office furniture at Gispens manufacturing site	
		in Culemborg, The Netherlands	306
Figure 1		A schematic simulation model overview of the first	
C		version of Gispen's circular business model	309
Figure 1	6.3	High level overview of the final business simulation	
		model (top) and a more detailed impression of a part	
		of the SD model (bottom)	310
Figure 1	6.4	Example of system dynamics simulation outcome:	
		two scenarios of how financial funds develop over	
		time given different assumptions for the product	
		and service margins	312
Figure 1		Accumulated profit for Gispen for different adaptation	
		rates	312
Figure 1	6.6	The Gispen circular economy design framework	315
Figure 1	6.7	Product of Gispen (left) and checklist scores for some	
		of the (dis)assembly questions	319
Figure 1	6.8	Nomi, a highly modular seating system. Upgrades	
		and visual changes are easy due to the flexible	
		design and removable upholstery	320
Figure 1	6.9	A schematic representation of the CLCA methodology	
		to calculate environmental impact of circular product	
		life cycle scenarios	320
Figure 1		Gispen TM Steel top	321
Figure 1	6.11	Outcomes of the C-LCA calculations for a linear	
		as well as revitalization scenario (bottom)	322
Figure 1	7.1	Actors, roles and connections in the Customised	
		Upgrade business model in the UIW-project	334
Figure 1		Actors, roles and connections in the Modular	
		Upgrade business model in the UIW-project	337
Figure 1		Actors, roles and connections in the Remanufacturing	
		business model in the UIW-project	340
Figure 1		Actors, roles and connections in the Service Upgrade	
		business model in the UIW-project	343
Figure 1	7.5	Upgrade information management process	349

List of Tables

Table 3.1	Rationale behind the main research assumptions	27
Table 3.2	Industrial clusters included in the study and their primary	
	research target	27
Table 4.1	Object and degree of innovation with examples	
	from Tidd et al. (2001)	48
Table 4.2	Closed versus open innovation (Chesbrough 2006b)	50
Table 5.1	Comparison of simple, complicated, and complex systems	75
Table 6.1	Conversion factors of the most important greenhouse	
	gases to carbon dioxide equivalents by IPCC (2007)	104
Table 7.1	Strengths and weaknesses of 3D visualisation	
	(Teyseyre and Campo 2009)	118
Table 12.1	PLM related challenges of rock crusher upgrading	
	and proposed solutions	213
Table 12.2	Advantages and disadvantages of 3D laser scanning	
	and camera based 3D capture	220
Table 12.3	Demonstration cases and their evaluation criteria	221
Table 12.4	Limitations and anticipated near future improvements	
	of the used technology	227
Table 14.1	Targeted impacts and means of attacking them	
	for the collaborative approach of managing upgrades	258
Table 14.2	3D imaging data summary	267
Table 14.3	Benefits/value at different levels of impact	
	based on questionnaire and interviews	272
Table 15.1	Objective 1 of the UIW Cluster 5 scorecard	297
Table 15.2	Objective 2 of the UIW Cluster 5 scorecard	298
Table 15.3	Objective 3 of the UIW Cluster 5 scorecard	298
Table 15.4	Objective 4a of the UIW Cluster 5 scorecard	299
Table 15.5	Objective 4b of the UIW Cluster 5 scorecard	299
Table 16.1	Definition of framework aspects and typical questions	
	included in the circular framework checklist	318

Business models for product life extension	
(adopted from Linton and Jayaraman 2005, p. 1808)	329
Upgrade business models	347
Information management pilots in the UIW-project	349
	Upgrade business models